

Electrical movement  
Makes your home better



# Your supplier of electric lifts


VENSET is your supplier of electric lifts for all purposes.

This brochure is made primarily to be an inspiration in how to use the lifts as built-in solutions. You will find not only examples of traditional TV lifts, but also cabinet lifts for use in kitchen and living room, home office printer lifts, furniture slides, bed-end TV lifts and more. With this brochure you will get a good general product view, so that you have a good basis of comparison.

There are a lot of good reasons to choose electric lifts from VENSET, but most important is our ability to provide:

- high quality
- fast delivery
- best prices

The full range of products and accessories is also shown on our website **[www.venset.com](http://www.venset.com)**



To learn more about our company and products, visit **[www.venset.com](http://www.venset.com)**

On VENSET's website you will find a wealth of information like detailed descriptions and technical data of our product range. You can download drawings, mounting instructions, movies, product presentations and more.

To become a distributor or find the distributor nearest you,  
please visit [www.venset.com](http://www.venset.com)

# Traditional TV lift



The living room TV lift is already a well-known application in many homes and offices.

By one touch of the remote you will still be able to see your pictures on the wall behind the tv. Or you could mount the TV lift directly on the wall and then hide the TV behind the sofa after use. In your summer house you can hide the TV while you are away and secure it against theft.

Like we enjoy saying: Plug and Play in one box!

Choice of products:

						
<b>Product</b>	TS600B	TS700A	TS700B	TS750	TS1000A	TS1000B
<b>Stroke</b>	600 mm	700 mm	700 mm	750 mm	1000 mm	1000 mm
<b>Build-in height</b>	500 mm	600 mm	600 mm	865 mm	750 mm	750 mm
<b>Operated by</b>	Control switch	Control switch RF remote system	Control switch	Control switch RF remote system	Control switch RF remote system	Control switch

See full specifications on pages 14-15. See full product range on [www.venset.com](http://www.venset.com)

# Living room TV lift



The living room TV lift is already a popular application in many homes, offices, boats, RV's and hotel rooms around the world. With one touch of the remote your HD TV appears from inside your entertainment cabinet or from the wall behind your favorite piece of art work.

You can mount the TV lift directly on the wall and then hide the TV behind a sofa or cabinet. When you are away you can hide the TV to secure it against theft or simply conceal it if you want to minimize TV viewing in your household. It is perfect if you do not want the TV to dominate your living space.

Like we enjoy saying; easy installation with plug and play connections all in one box!


Choice of products:

						
<b>Product</b>	TS600B	TS700A	TS700B	TS750	TS1000A	TS1000B
<b>Stroke</b>	600 mm	700 mm	700 mm	750 mm	1000 mm	1000 mm
<b>Build-in height</b>	500 mm	600 mm	600 mm	865 mm	750 mm	750 mm
<b>Operated by</b>	Control switch	Control switch RF remote system	Control switch	Control switch RF remote system	Control switch RF remote system	Control switch

See full specifications on pages 14-15. See full product range on [www.venset.com](http://www.venset.com)



# Living room cabinet lift



This application is very similar to the kitchen cabinet lift. You can enjoy the convenience of lowering your bar, book shelves, safe or whatever you can imagine out of a cabinet where it normally is out of sight and reach of children.

You can install accessories like a wine cooler that you normally do not want to see because they do not compliment your room design. Make it easily accessible only when you want access to it.


Like the kitchen cabinet lift it can be turned upside down for unlimited applications and its simple installation brings your designs to life and the WOW factor into your home.

Choice of products:

					
<b>Product</b>	TS460A	TS460B	TS600B	TS700A	TS700B
<b>Stroke</b>	460 mm	460 mm	600 mm	700 mm	700 mm
<b>Build-in height</b>	645 mm	645 mm	500 mm	600 mm	600 mm
<b>Operated by</b>	Control switch RF remote system	Control switch RF remote system	Control switch	Control switch RF remote system	Control switch

See full specifications on pages 14-15. See full product range on [www.venset.com](http://www.venset.com)

# Bedroom TV lift



The bedroom TV lift application is very similar to the living room TV lift. By one touch of the remote you can control the up/down operation from your bed. This way your bedroom can remain a romantic place without distractions and electronics that compete with your design layout.

The TV lifts can be turned upside/down so that you could have it come down from the ceiling or hide it behind a picture or a wall mounted cabinet.

Again it is your ideas of interior design that set the limits.

Choice of products:

						
Product	TS600B	TS700A	TS700B	TS750	TS1000A	TS1000B
Stroke	600 mm	700 mm	700 mm	750 mm	1000 mm	1000 mm
Build-in height	500 mm	600 mm	600 mm	865 mm	750 mm	750 mm
Operated by	Control switch	Control switch RF remote system	Control switch	Control switch RF remote system	Control switch RF remote system	Control switch

See full specifications on pages 14-15. See full product range on [www.venset.com](http://www.venset.com)

# Bed-end TV lift



Imagine your beautiful bedroom with a TV moving elegantly up and out of the foot board or a specially designed end of the bed cabinet.

Relaxing in your bed you can now watch TV and then conceal it when you are done.

Cuddle together with the whole family for a special movie night, then press the remote to remove your TV out of sight.

When hidden it is also out of reach and protected from children and pets.

Choice of products:

					
<b>Product</b>	TS460A	TS460B	TS600B	TS700A	TS700B
<b>Stroke</b>	460 mm	460 mm	600 mm	700 mm	700 mm
<b>Build-in height</b>	645 mm	645 mm	500 mm	600 mm	600 mm
<b>Operated by</b>	Control switch RF remote system	Control switch RF remote system	Control switch	Control switch RF remote system	Control switch

See full specifications on pages 14-15. See full product range on [www.venset.com](http://www.venset.com)

# Kitchen cabinet lift



Make your everyday life easier and more comfortable. The kitchen lift is perfect for raising and lowering an entire cabinet or the cabinet interior up and down. Move ovens, microwaves, touch screens and shelves in order to place them out of sight or within easy reach for improved accessibility.

The operation is easily achieved by remote control or a simple push switch that can be conveniently mounted. The compact design of the lifts allows them to fit most standard kitchen cabinets.

All VENSET lifts are easy to install with “plug and play” connections and components are conveniently packaged in one box.


Choice of products:

					
<b>Product</b>	TS460A	TS460B	TS600B	TS700A	TS700B
<b>Stroke</b>	460 mm	460 mm	600 mm	700 mm	700 mm
<b>Build-in height</b>	645 mm	645 mm	500 mm	600 mm	600 mm
<b>Operated by</b>	Control switch RF remote system	Control switch RF remote system	Control switch	Control switch RF remote system	Control switch

See full specifications on pages 14-15. See full product range on [www.venset.com](http://www.venset.com)



# Kitchen TV lift



Let family and guests watch TV while you are cooking dinner and then simply lower the TV to gain more space on your kitchen table or island when you are done. Imagine always having your favorite recipes on hand or cook along with your favorite cooking show as you watch your beautifully mounted TV lift display.

Only your imagination sets the limit of how to gain flexibility in your kitchen with our TV lift. Whether mounting a touch screen computer or TV screen it is there when you need it and out of sight with just the touch of a button.

The lifts can be used to rise up from a surface or can be inverted to drop down from an enclosure such as an upper cabinet or ceiling. All lifts are available with VESA standard TV brackets.

Choice of products:

					
Product	TS460A	TS460B	TS600B	TS700A	TS700B
Stroke	460 mm	460 mm	600 mm	700 mm	700 mm
Build-in height	645 mm	645 mm	500 mm	600 mm	600 mm
Operated by	Control switch RF remote system	Control switch RF remote system	Control switch	Control switch RF remote system	Control switch

See full specifications on pages 14-15. See full product range on [www.venset.com](http://www.venset.com)

# Home office cabinet and monitor lift



Enjoy a clean and minimalistic look of your home office where the printer and computer screen are hidden away when not in use. Limit access to your computer from children by storing the remote control. Protect your computer's information from dust as well as from sunlight and static electricity.



For use in conference or training rooms the lift can hide numerous monitors in a big conference table or training tables to allow computer access when needed by multiple users.

Choice of products:

					
<b>Product</b>	TS460A	TS460B	TS600B	TS700A	TS700B
<b>Stroke</b>	460 mm	460 mm	600 mm	700 mm	700 mm
<b>Build-in height</b>	645 mm	645 mm	500 mm	600 mm	600 mm
<b>Operated by</b>	Control switch RF remote system	Control switch RF remote system	Control switch	Control switch RF remote system	Control switch

See full specifications on pages 14-15. See full product range on [www.venset.com](http://www.venset.com)

# Home office furniture slide



During daytime it is your small home office and in the evening it is the place where children play games at the computer.

When friends are visiting your home, it is just a nice living room cabinet.

VENSET lifts are all very flexible and in combination with your design ideas and simple slide systems for example they can be used for as many purposes as you like.

VENSET lifts and your ideas. Make your home better!

Choice of products:


					
<b>Product</b>	TS460A	TS460B	TS600B	TS700A	TS700B
<b>Stroke</b>	460 mm	460 mm	600 mm	700 mm	700 mm
<b>Build-in height</b>	645 mm	645 mm	500 mm	600 mm	600 mm
<b>Operated by</b>	Control switch RF remote system	Control switch RF remote system	Control switch	Control switch RF remote system	Control switch

See full specifications on pages 14-15. See full product range on [www.venset.com](http://www.venset.com)

# Combination chart

With the combination chart you have the possibility to see how to combine the different VENSET components with an electric column (DF019 7SXX1).

More detailed information about the components shown, you will find on page 13 or visit [www.venset.com](http://www.venset.com)



The colours of the shown components **do not** respond to the actual colour. See full specifications on the products on pages 13-15. See full product range on [www.venset.com](http://www.venset.com)



# Accessories | Components

Product photo	Item no.	Description
	<b>MB002 B1</b> Monitor bracket	Standard with and TS1000A, and possible as extra accessory for TS700A, TS700B and TS1000B. For VESA standards see pages 14-15.
	<b>MB003 B1</b> Monitor bracket	Standard with TS700A, and possible as extra accessory for TS700B and TS1000B. For VESA standards see pages 14-15.
	<b>SB001 XBXX1</b> Swivel bracket	Accessory for TS700, TS750 and TS1000 for manual to swivel the TV 30 degrees to both sides. VESA 200x200 fits without any additional brackets attached. MB002 and MB003 can be mounted on the swivel bracket.
	<b>FM700 B1</b> Bracket	Bracket used for fixing TS700A or TS700B to the floor, or ceiling.
	<b>FM1000 B1</b> Bracket	Bracket used for fixing TS1000A or TS1000B to the floor, or ceiling.
	<b>CAB700 WG200</b> Cabinet	Demo TV Cabinet – in white – for TS700A or TS700B. Measurement: 200x40x70 cm (WxDxH)
	<b>DF019 7SXX1</b> Electric column	The column can be used alone or together with either one or two more columns. See specifications on <a href="http://www.venset.com">www.venset.com</a>
	<b>FB019 B1</b> Fixed head	Bracket to connect column to TV screen. Integrated adjustable tilt option: from +3 to -8 degrees. Operation by rocker switch and RF remote. MB002 and MB003 can be mounted on the swivel bracket. See also <a href="http://www.venset.com">www.venset.com</a>
	<b>SB000 7BXX1</b> Electric swivel head	The electric swivel head makes it possible to turn the TV screen +/-45 degrees. Controlled with RF remote control. MB000 can be mounted on the swivel bracket. See also <a href="http://www.venset.com">www.venset.com</a>
	<b>PS200 B1</b> Pull swivel head	Pull and swivel out your desktop. Can be used with the electric column or directly mounted to the wall using the wall bracket WB000 B1.
	<b>WB000 B1</b> Wall bracket	Wall bracket to be used with the pull swivel head PS200 B1.
	<b>WB019 S1</b> Desk wall bracket	Wall bracket and top bracket for electric column DF019 7SXX1.
	<b>SF001 XS</b> Foot-1	Foot/Stand for use with electric column. A strong and rigid construction. Also available in black. See also <a href="http://www.venset.com">www.venset.com</a>
	<b>SF006 XS</b> Foot-6	Foot/Stand for use with electric column. A strong and rigid construction. Also available in black. See also <a href="http://www.venset.com">www.venset.com</a>
	<b>SF000 X4</b> 4 wheels	Set of 4 wheels to use with Foot-1 and Foot-6.
	<b>7X POWA</b> Power Box A	Power Box A consists of control panel and power supply. For use with a single electric column.
	<b>7X POWB</b> Power Box B	Power Box B consists of control panel, power supply and synchronisation box. For use with 2 or 3 electric columns.
	<b>111</b> Electric window opener	Use an electric window opener to gain comfort or to open windows that are out of reach. Simple to use either by wall mounted switch or remote control. See also <a href="http://www.venset.com">www.venset.com</a> for full range.

# Product specifications

					
Product	TS460A	TS460B	TS600B	TS700A	TS700B
Min/Max. height (lid lifter excluded)	645/1105 mm	645/1105 mm	500/1100 mm	600/1300 mm	600/1300 mm
Max. stroke	460 mm	460 mm	600 mm	700 mm	700 mm
Adjustable stroke	No	No	Yes	Yes	Yes
Max load	5-50 kg 29 kg (mounted upside down)	0-50 kg 29 kg (mounted upside down)	12 kg (standard and mounted upside down installations) 15 kg peak load	65 kg (standard installation) 29 kg (mounted upside down) 100 kg peak load	45 kg (standard installation) 29 kg (mounted upside down) 50 kg peak load
Colour	Silver	Silver	Black	Black	Black
Reverse function	Yes	No	No	Yes	No
Input power	110-240 VAC/ 50-60 Hz	110-240 VAC/ 50-60 Hz	110-240 VAC/ 50-60 Hz	110-240 VAC/ 50-60 Hz	110-240 VAC/ 50-60 Hz
AC plug	EU/UK/US/NZ/AUS	EU/UK/US/NZ/AUS	EU/UK/US/NZ/AUS	EU/UK/US/NZ/AUS	EU/UK/US/NZ/AUS
Manual control switch	Yes	Yes	Yes	Yes	Yes
RF remote system	Yes	Yes	Optional R315290	Yes	Optional R110080
IR remote system	Optional R119090	Optional R112210	Optional R137380	Optional R119090	Optional R112210
Lid lifter	No	No	Optional R131770	Yes	Yes
TV mounting brackets	Optional MB460	Optional MB460	Optional MB600	Yes	Optional MB002 or MB003
VESA	200x200* 200x100* 100x100* 75x75* 50x50*	200x200* 200x100* 100x100* 75x75* 50x50*	200x200* 200x100* 100x100*	400x400 400x300 400x200 400x100 300x300 200x200 200x100 100x100	200x200 200x100 400x200** 600x200** 600x100** 400x400** 400x300** 400x400*** 400x200** 400x100** 300x300***
	*only with MB460 mounted	*only with MB460 mounted	*only with MB600 mounted		**only with MB002 mounted ***only with MB003 mounted
Possible application	Cabinet lift-page 5 Bed-end TV lift-page 7 Kitchen Cabinet lift-page 8 Kitchen TV lift-page 9 Home Office lift-page 10 Furniture slide-page 11	Cabinet lift-page 5 Bed-end TV lift-page 7 Kitchen Cabinet lift-page 8 Kitchen TV lift-page 9 Home Office lift-page 10 Furniture slide-page 11	Traditional TV lift-page 3 Living room TV lift-page 4 Cabinet lift-page 5 Bedroom TV lift-page 6 Bed-end TV lift-page 7 Kitchen Cabinet lift-page 8 Kitchen TV lift-page 9 Home Office lift-page 10 Furniture slide-page 11	Traditional TV lift-page 3 Living room TV lift-page 4 Cabinet lift-page 5 Bedroom TV lift-page 6 Bed-end TV lift-page 7 Kitchen Cabinet lift-page 8 Kitchen TV lift-page 9 Home Office lift-page 10 Furniture slide-page 11	Traditional TV lift-page 3 Living room TV lift-page 4 Cabinet lift-page 5 Bedroom TV lift-page 6 Bed-end TV lift-page 7 Kitchen Cabinet lift-page 8 Kitchen TV lift-page 9 Home Office lift-page 10 Furniture slide-page 11

# Product specifications

				
<b>TS750</b>	<b>TS1000A</b>	<b>TS1000B</b>	<b>DF019 7SXX1</b>	<b>DF0197SSB000MBSF</b>
865/1465 mm	750/1750 mm	750/1750 mm	660/1180 mm	660/1180 mm
750 mm	1000 mm	1000 mm	520 mm	520 mm
No	Yes	Yes	Optional R121660 (for max height adjustment only)	No
65 kg (standard installation) 29 kg (mounted upside down) 100 kg peak load	65 kg (standard installation) 29 kg (mounted upside down) 100 kg peak load	45 kg (standard installation) 29 kg (mounted upside down) 50 kg peak load	10-100 kg	10-100 kg
Black	Black	Black	Silver and black	Silver and black
No	Yes	No	No	No
110-240 VAC/ 50-60 Hz	110-240 VAC/ 50-60 Hz	110-240 VAC/ 50-60 Hz	110-240 VAC/ 50-60 Hz	110-240 VAC/ 50-60 Hz
EU/UK/US/NZ/AUS	EU/UK/US/NZ/AUS	EU/UK/US/NZ/AUS	EU/UK/US/NZ/AUS	EU/UK/US/NZ/AUS
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Optional R110080	Optional R131780	Yes
Optional R112210	Optional R119090	Optional R112210	Optional R131790	Optional R112210
Yes	Yes	Yes	-	-
Yes	Yes	Optional MB002 or MB003	-	MB000
600x400 600x200 600x100 400x400 400x300 400x200 400x100 300x300 200x200 200x100	600x400 600x200 600x100 400x400 400x300 400x200 400x100 300x300 200x200 200x100	200x200 400x200** 200x100 400x100** 600x400** 300x300** 600x200** 400x300*** 600x100** 400x200*** 400x400** 400x100*** 400x300** 300x300*** 400x400***  ** only with MB002 mounted *** only with MB003 mounted		600x400 600x200 600x100 400x400 400x300 400x200 400x100 300x300 200x200 200x100
Traditional TV lift-page 3 Living room TV lift-page 4 Bedroom TV lift-page 6	Traditional TV lift-page 3 Living room TV lift-page 4 Bedroom TV lift-page 6	Traditional TV lift-page 3 Living room TV lift-page 4 Bedroom TV lift-page 6	Lifting column-page 12-13	TV swivel and lift-page 12-13



Electrical lifts for all purposes  
Only your imagination sets the limit



VENSET A/S • Industrivej 23 • 6900 Skjern • Denmark  
www.venset.com • info@venset.com  
Phone +4597354611 • Fax +4597354631



©VENSET A/S | We reserve the right to make changes at any time without prior notice.  
We accept no responsibility for printing errors. | www.venset.com.

Distributed by: